





Work Order ID 74119



Thursday, September 22, 2011 2:22:26 PM




ASAP

Page 1


Item ID: D3262-043 Accept  Setup Start 
 Revision ID:  Stop 
 Item Name: Canister Assembly
 Start Date: 9/22/2011 Start Qty: 1.00 Cust Item ID:
 Required Date: 9/26/2011 Req'd Qty: 1.00 Customer:
 Reference:

Approvals: Process Plan: MF Date: 11-09-22 Tooling: Date: Run Start 
 QC: Date: SPC (Y/N): Date: Stop 


Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3262	E								

100 Weld per dwg A/R Aluminum rod Batch: 117284 0.00
 Large Fab
 Large Fab Memo 0.00
 Large Fab Weld canister assembly as per Dwg D3262 using DT8739 to align fittings

11-09-23 1 0

110 QC9- Inspect visual per QSI004- Fusion Welds 0.00
 QC Memo 0.00
 Quality Control

11-09-26 1

120 QC5- Inspect part completeness to step on W/O 0.00
 QC Memo 0.00
 Quality Control Pressure test as per Dwg D3262

8/10/26

FD

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC-Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 74119

Thursday, September 22, 2011 2:22:28 PM



Page 2

Item ID: D3262-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Canister Assembly

Start Date: 9/22/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 9/26/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.00							<u>1</u> <u>0</u> <u>11/09/26</u>
140 Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum Memo ****Ensure to mask threads **** START TIME: _____ OVEN TEMPERATURE: _____ FINISH TIME: _____ 11 = 50 3200 F 12:20	0.00 0.00							<u>1</u> <u>0</u> <u>11/09/27</u>
150 QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00							<u>1</u> <u>0</u> <u>11/09/27</u>

M118439

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 74119

Thursday, September 22, 2011 2:22:28 PM



Page 3

Item ID: D3262-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Canister Assembly

Start Date: 9/22/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 9/26/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

Identify as per dwg & Stock Location: 5144

0.00



Packaging

Memo

0.00

Packaging

SP 11-09-28

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/9/28
ME 11-09-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, September 22, 2011 2:22:21 PM

Page 1

Work Order ID: 74119

Parent Item: D3262-043

Parent Item Name: Canister Assembly



Start Date: 9/22/2011



Required Date: 9/26/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP rev A 10.01.19 new issue EC verified by: DD
as per ECN10-571 DD 10.05.10 verified :EC

IPP Rev:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3262-1  Tube		Manufactured	No			100	Each	0.0000	1	1		11.09.22	
D3262-5  Cap		Manufactured	No			100	Each	2.0000	2	2		11.09.22	

Location

LG002

70897

Loc Qty

2

2

Loc Code

2

374032 = 1

~~362397~~

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3262-041	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-3	CAP



D3262-041 CANISTER ASSEMBLY

RELEASED
2010-05-07
NA

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3262-041" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 2.51 lbs
- 8) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR
PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO CHECK FOR LEAKS

E	0.25 WAS 0.45 (ZNC7-4, C7-5); 0.13 WAS 0.33 (ZN B7-4, B7-5); ADD DIMENSION (ZN B1-4, D1-5, B1-5)	RF	10.05.03
D	ADD D3262-043/-5 (ZN B5-2; B5-5); REVISE DIMENSIONS TO EQUAL TOOL DIMENSIONS (ZN B2-4; C2-4) PER CAR 09-004	RF	09.12.30
C	Ø5.165 WAS Ø5.190	RF	06.08.31
B	ADD PRESSURE TESTING OPTION	MB	05.02.14
A	NEW ISSUE	RF	04.05.06
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	RF	D3262	SHEET 1 OF 5
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FUEL PURGE CANISTER	NTS
DATE	10.05.03	COPYRIGHT © 2004 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
	X	D3262-043	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-5	CAP



D3262-043 CANISTER ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3262-043" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 2.50 lbs
- 8) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR
PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO CHECK FOR LEAKS
- 9) WELD CAPS WITH 3/4-16 TAP TOP HOLE IN LINE WITH 9/16-18 TAP BOTTOM HOLE

RELEASED
2010-05-07

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>[Signature]</i>	D3262	SHEET 2 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	FUEL PURGE CANISTER	NTS
DATE	10.05.03	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3262-1 TUBE

RELEASED
2010-05-03
JW

NOTES:

- 1) MATERIAL: 6061-T6 OR 6061-T62 ALUMINUM TUBING, 5.00 OD x 0.125 WALL
PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T6T5.000W.125
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.96 lbs
- 8) PART IS SYMMETRICAL ABOUT CENTERLINE

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	RF	D3262	SHEET 3 OF 5
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FUEL PURGE CANISTER	NTS
DATE	10.05.03	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



SECTION A-A C5-4



D3262-3 CAP



DETAIL B C7-4
SCALE 2X

NOTES:

- 1) MATERIAL: 6061-T6/T651 ALUMINUM BAR
PER QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP
(MAX) LETTERS WITH TOOL RADIUS OF 0.25 MIN
- 7) WEIGHT: 0.28 lbs
- 8) PART IS SYMMETRICAL ABOUT CENTERLINE

RELEASED
2010-05-07
AN

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>RF</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>RF</i>	D3262	SHEET 4 OF 5
APPROVED	<i>RF</i>	TITLE	SCALE
DE APPR.	<i>RF</i>	FUEL PURGE CANISTER	NTS
DATE	10.05.03	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries




SECTION C-C D5-5



D3262-5 CAP



DETAIL D C7-5
SCALE 2X



DETAIL E B7-5
SCALE 2X

NOTES:

- 1) MATERIAL: 6061-T6/T651 ALUMINUM BAR
PER QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP (MAX) LETTERS WITH TOOL RADIUS OF 0.25 MIN
- 7) WEIGHT: 0.27 lbs
- 8) PART IS SYMMETRICAL ABOUT CENTERLINE

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	RF	D3262	SHEET 5 OF 5
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FUEL PURGE CANISTER	NTS
DATE	10.05.03	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

RELEASED
2010-05-07

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries